## Parallel Programming & Cluster Computing

#### **Overview:**

## What the Heck is Supercomputing?



Henry Neeman, University of Oklahoma Charlie Peck, Earlham College Andrew Fitz Gibbon, Earlham College Josh Alexander, University of Oklahoma Oklahoma Supercomputing Symposium 2009 University of Oklahoma, Tuesday October 6 2009











## What is Supercomputing?

**Supercomputing** is the **biggest**, **fastest computing right this minute**.

Likewise, a <u>supercomputer</u> is one of the biggest, fastest computers right this minute.

So, the definition of supercomputing is **constantly changing**.

Rule of Thumb: A supercomputer is typically at least 100 times as powerful as a PC.

Jargon: Supercomputing is also known as

High Performance Computing (HPC) or

High End Computing (HEC) or

Cyberinfrastructure (CI).











## Fastest Supercomputer vs. Moore

#### **Fastest Supercomputer in the World**












## What is Supercomputing About?
















## What is Supercomputing About?

- Size: Many problems that are interesting to scientists and engineers can't fit on a PC usually because they need more than a few GB of RAM, or more than a few 100 GB of disk.
- Speed: Many problems that are interesting to scientists and engineers would take a very very long time to run on a PC: months or even years. But a problem that would take a month on a PC might take only a few hours on a supercomputer.









#### What Is HPC Used For?

- **Simulation** of physical phenomena, such as
  - Weather forecasting
  - Galaxy formation
  - Oil reservoir management
- Data mining: finding needles
   of information in a haystack of data,
   such as
  - Gene sequencing
  - Signal processing
  - Detecting storms that might produce tornados
- *Visualization*: turning a vast sea of <u>data</u> into <u>pictures</u> that a scientist can understand














[3]



## **Supercomputing Issues**

Parallel Computing: Overview OK Supercomputing Symposium, Tue Oct 6 2009

- The tyranny of the *storage hierarchy*
- **Parallelism**: doing multiple things at the same time





# A Quick Primer on Hardware





## Henry's Laptop

#### Dell Latitude D620<sup>[4]</sup>



- Pentium 4 Core Duo T2400 1.83 GHz w/2 MB L2 Cache ("Yonah")
- 2 GB (2048 MB) 667 MHz DDR2 SDRAM
- 100 GB 7200 RPM SATA Hard Drive
- DVD+RW/CD-RW Drive (8x)
- 1 Gbps Ethernet Adapter
- 56 Kbps Phone Modem













## Typical Computer Hardware

- Central Processing Unit
- Primary storage
- Secondary storage
- Input devices
- Output devices







#### **Central Processing Unit**

Also called *CPU* or *processor*: the "brain"

#### **Components**

- <u>Control Unit</u>: figures out what to do next for example, whether to load data from memory, or to add two values together, or to store data into memory, or to decide which of two possible actions to perform (<u>branching</u>)
- Arithmetic/Logic Unit: performs calculations –
  for example, adding, multiplying, checking whether two
  values are equal
- *Registers*: where data reside that are being used right now









#### **Primary Storage**

#### Main Memory

- Also called <u>RAM</u> ("Random Access Memory")
- Where data reside when they're being used by a program that's currently running

#### Cache

- Small area of much faster memory
- Where data reside when they're <u>about to be used</u> and/or have been used recently
- Primary storage is <u>volatile</u>: values in primary storage disappear when the power is turned off.







#### **Secondary Storage**

- Where data and programs reside that are going to be used in the future
- Secondary storage is <u>non-volatile</u>: values <u>don't</u> disappear when power is turned off.
- Examples: hard disk, CD, DVD, Blu-ray, magnetic tape, floppy disk
- Many are <u>portable</u>: can pop out the CD/DVD/tape/floppy and take it with you







#### Input/Output

- Input devices for example, keyboard, mouse, touchpad, joystick, scanner
- Output devices for example, monitor, printer, speakers





# The Tyranny of the Storage Hierarchy






## The Storage Hierarchy



Fast, expensive, few



Slow, cheap, a lot



- Cache memory
- Main memory (RAM)
- Hard disk
- Removable media (CD, DVD etc)
- Internet


















#### **RAM** is Slow

The speed of data transfer between Main Memory and the CPU is much slower than the speed of calculating, so the CPU spends most of its time waiting for data to come in or go out.




351 GB/sec<sup>[6]</sup>



**Bottleneck** 

3.4 GB/sec<sup>[7]</sup> (1%)

















#### Why Have Cache?


Cache is much closer to the speed of the CPU, so the CPU doesn't have to wait nearly as long for stuff that's already in cache: it can do more operations per second!





14.2 GB/sec (4x RAM)<sup>[7]</sup>

3.4 GB/sec<sup>[7]</sup>
















## Henry's Laptop

#### Dell Latitude D620<sup>[4]</sup>




- Pentium 4 Core Duo T2400
   1.83 GHz w/2 MB L2 Cache ("Yonah")
- 2 GB (2048 MB)667 MHz DDR2 SDRAM
- 100 GB 7200 RPM SATA Hard Drive
- $\blacksquare$  DVD+RW/CD-RW Drive (8x)
- 1 Gbps Ethernet Adapter
- 56 Kbps Phone Modem











## Storage Speed, Size, Cost

Henry's Laptop	Registers (Pentium 4 Core Duo 1.83 GHz)	Cache Memory (L2)	Main Memory (667 MHz DDR2	Hard Drive (SATA 7200 RPM)	Ethernet (1000 Mbps)	DVD <u>+</u> RW (8x)	Phone Modem (56 Kbps)
Speed (MB/sec) [peak]	359,792 <sup>[6]</sup> (14,640 MFLOP/s*)	14,500 [7]	3400 <sup>[7]</sup>	100 [9]	125	10.8	0.007
Size (MB)	304 bytes**	2	2048	100,000	unlimited	unlimited	unlimited
Cost (\$/MB)	-	\$9 [12]	\$0.04 [12]	\$0.00008	charged per month (typically)	\$0.00003	charged per month (typically)

<sup>\*</sup> MFLOP/s: millions of floating point operations per second

<sup>\*\* 8 32-</sup>bit integer registers, 8 80-bit floating point registers, 8 64-bit MMX integer registers, 8 128-bit floating point XMM registers









## Parallelism






#### **Parallelism**

**Parallelism** means doing multiple things at the same time: you can get more work done in the same time.

Less fish ...




















## The Jigsaw Puzzle Analogy







## **Serial Computing**




Suppose you want to do a jigsaw puzzle that has, say, a thousand pieces.

We can imagine that it'll take you a certain amount of time. Let's say that you can put the puzzle together in an hour.





## **Shared Memory Parallelism**




If Scott sits across the table from you, then he can work on his half of the puzzle and you can work on yours. Once in a while, you'll both reach into the pile of pieces at the same time (you'll *contend* for the same resource), which will cause a little bit of slowdown. And from time to time you'll have to work together (communicate) at the interface between his half and yours. The speedup will be nearly 2-to-1: y'all might take 35 minutes instead of 30.












#### The More the Merrier?




Now let's put Paul and Charlie on the other two sides of the table. Each of you can work on a part of the puzzle, but there'll be a lot more contention for the shared resource (the pile of puzzle pieces) and a lot more communication at the interfaces. So y'all will get noticeably less than a 4-to-1 speedup, but you'll still have an improvement, maybe something like 3-to-1: the four of you can get it done in 20 minutes instead of an hour.







#### **Diminishing Returns**



If we now put Dave and Tom and Horst and Brandon on the corners of the table, there's going to be a whole lot of contention for the shared resource, and a lot of communication at the many interfaces. So the speedup y'all get will be much less than we'd like; you'll be lucky to get 5-to-1.

So we can see that adding more and more workers onto a shared resource is eventually going to have a diminishing return.















#### **Distributed Parallelism**






Now let's try something a little different. Let's set up two tables, and let's put you at one of them and Scott at the other. Let's put half of the puzzle pieces on your table and the other half of the pieces on Scott's. Now y'all can work completely independently, without any contention for a shared resource.

BUT, the cost per communication is MUCH higher (you have to scootch your tables together), and you need the ability to split up (decompose) the puzzle pieces reasonably evenly, which may be tricky to do for some puzzles.













#### **More Distributed Processors**































**Load balancing** means ensuring that everyone completes their workload at roughly the same time.

For example, if the jigsaw puzzle is half grass and half sky, then you can do the grass and Scott can do the sky, and then y'all only have to communicate at the horizon – and the amount of work that each of you does on your own is roughly equal. So you'll get pretty good speedup.















Load balancing can be easy, if the problem splits up into chunks of roughly equal size, with one chunk per processor. Or load balancing can be very hard.
















Load balancing can be easy, if the problem splits up into chunks of roughly equal size, with one chunk per processor. Or load balancing can be very hard.












Load balancing can be easy, if the problem splits up into chunks of roughly equal size, with one chunk per processor. Or load balancing can be very hard.













## Moore's Law



#### Moore's Law

- In 1965, Gordon Moore was an engineer at Fairchild Semiconductor.
- He noticed that the number of transistors that could be squeezed onto a chip was doubling about every 18 months.
- It turns out that computer speed is roughly proportional to the number of transistors per unit area.
- Moore wrote a paper about this concept, which became known as "Moore's Law."








## Fastest Supercomputer vs. Moore

#### **Fastest Supercomputer in the World**














































































## Why Bother?





## Why Bother with HPC at All?

It's clear that making effective use of HPC takes quite a bit of effort, both learning how and developing software.

That seems like a lot of trouble to go to just to get your code to run faster.

It's nice to have a code that used to take a day, now run in an hour. But if you can afford to wait a day, what's the point of HPC?

Why go to all that trouble just to get your code to run faster?







## Why HPC is Worth the Bother

- What HPC gives you that you won't get elsewhere is the ability to do <a href="bigger">bigger</a>, better</a>, more exciting science</a>. If your code can run faster, that means that you can tackle much bigger problems in the same amount of time that you used to need for smaller problems.
- HPC is important not only for its own sake, but also because what happens in HPC today will be on your desktop in about 10 to 15 years: it puts you ahead of the curve.







#### The Future is Now

Historically, this has always been true:

Whatever happens in supercomputing today will be on your desktop in 10 - 15 years.

So, if you have experience with supercomputing, you'll be ahead of the curve when things get to the desktop.





## Thanks for your attention!



Questions?



#### References

- [1] Image by Greg Bryan, Columbia U.
- [2] "<u>Update on the Collaborative Radar Acquisition Field Test (CRAFT): Planning for the Next Steps.</u>" Presented to NWS Headquarters August 30 2001.
- [3] See http://hneeman.oscer.ou.edu/hamr.html for details.
- [4] http://www.dell.com/
- [5] http://www.vw.com/newbeetle/
- [6] Richard Gerber, The Software Optimization Cookbook: High-performance Recipes for the Intel Architecture. Intel Press, 2002, pp. 161-168.
- [7] RightMark Memory Analyzer. http://cpu.rightmark.org/
- [8] ftp://download.intel.com/design/Pentium4/papers/24943801.pdf
- [9] http://www.seagate.com/cda/products/discsales/personal/family/0,1085,621,00.html
- $[10] \ \texttt{http://www.samsung.com/Products/OpticalDiscDrive/SlimDrive/OpticalDiscDrive\_SlimDrive\_SN\_S082D.asp?page=Specifications)} \\$
- [11] ftp://download.intel.com/design/Pentium4/manuals/24896606.pdf
- [12] http://www.pricewatch.com/



