

# Supercomputing in Plain English


## Shared Memory Multithreading

Henry Neeman, Director

OU Supercomputing Center for Education & Research (OSCER)

University of Oklahoma

Tuesday February 19 2013





# This is an experiment!

It's the nature of these kinds of videoconferences that  
**FAILURES ARE GUARANTEED TO HAPPEN!**  
**NO PROMISES!**

So, please bear with us. Hopefully everything will work out well enough.

If you lose your connection, you can retry the same kind of connection, or try connecting another way.

Remember, if all else fails, you always have the toll free phone bridge to fall back on.





# H.323 (Polycom etc) #1

If you want to use H.323 videoconferencing – for example, Polycom – then:

- If you AREN'T registered with the OneNet gatekeeper (which is probably the case), then:

- Dial **164.58.250.47**

- Bring up the virtual keypad.

On some H.323 devices, you can bring up the virtual keypad by typing:

#

(You may want to try without first, then with; some devices won't work with the #, but give cryptic error messages about it.)

- When asked for the conference ID, or if there's no response, enter:  
**0409**

- On most but not all H.323 devices, you indicate the end of the ID with:  
#



## H.323 (Polycom etc) #2

If you want to use H.323 videoconferencing – for example, Polycom – then:

- If you ARE already registered with the OneNet gatekeeper (most institutions aren't), dial:

**2500409**

Many thanks to Skyler Donahue and Steven Haldeman of OneNet for providing this.





# Wowza #1

You can watch from a Windows, MacOS or Linux laptop using Wowza from either of the following URLs:

<http://www.onenet.net/technical-resources/video/sipe-stream/>

OR

<https://vcenter.njvid.net/videos/livestreams/page1/>

Wowza behaves a lot like YouTube, except live.

Many thanks to Skyler Donahue and Steven Haldeman of OneNet and Bob Gerdes of Rutgers U for providing this.





# Wowza #2

Wowza has been tested on multiple browsers on each of:

- Windows (7 and 8): IE, Firefox, Chrome, Opera, Safari
- MacOS X: Safari, Firefox
- Linux: Firefox, Opera

We've also successfully tested it on devices with:

- Android
- iOS

However, we make no representations on the likelihood of it working on your device, because we don't know which versions of Android or iOS it might or might not work with.



# Wowza #3

---

If one of the Wowza URLs fails, try switching over to the other one.

If we lose our network connection between OU and OneNet, then there may be a slight delay while we set up a direct connection to Rutgers.



# Toll Free Phone Bridge

**IF ALL ELSE FAILS**, you can use our toll free phone bridge:

800-832-0736

\* 623 2847 #

Please mute yourself and use the phone to listen.

Don't worry, we'll call out slide numbers as we go.

Please use the phone bridge **ONLY** if you cannot connect any other way: the phone bridge can handle only 100 simultaneous connections, and we have over 350 participants.

Many thanks to OU CIO Loretta Early for providing the toll free phone bridge.







# Please Mute Yourself

No matter how you connect, please mute yourself, so that we cannot hear you.

(For Wowza, you don't need to do that, because the information only goes from us to you, not from you to us.)

At OU, we will turn off the sound on all conferencing technologies.

That way, we won't have problems with echo cancellation.

Of course, that means we cannot hear questions.

So for questions, you'll need to send e-mail.





# Questions via E-mail Only

Ask questions by sending e-mail to:

[sipe2013@gmail.com](mailto:sipe2013@gmail.com)

All questions will be read out loud and then answered out loud.



Supercomputing in Plain English: Shared Memory  
Tue Feb 19 2013





# TENTATIVE Schedule

Tue Jan 29: Shared Memory: What the Heck is Supercomputing?  
Tue Jan 29: The Tyranny of the Storage Hierarchy  
Tue Feb 19: Instruction Level Parallelism  
Tue Feb 19: Stupid Compiler Tricks  
Tue Feb 19: Shared Memory Multithreading  
Tue Feb 26: Distributed Multiprocessing  
Tue March 5: Applications and Types of Parallelism  
Tue March 12: Multicore Madness  
Tue March 19: NO SESSION (OU's Spring Break)  
Tue March 26: High Throughput Computing  
Tue Apr 2: GPGPU: Number Crunching in Your Graphics Card  
Tue Apr 9: Grab Bag: Scientific Libraries, I/O Libraries,  
Visualization



Supercomputing in Plain English: Shared Memory  
Tue Feb 19 2013





# Supercomputing Exercises #1

Want to do the “Supercomputing in Plain English” exercises?

- The 3<sup>rd</sup> exercise will be posted soon at:

<http://www.oscer.ou.edu/education/>

- If you don’t yet have a supercomputer account, you can get a temporary account, just for the “Supercomputing in Plain English” exercises, by sending e-mail to:

[hneeman@ou.edu](mailto:hneeman@ou.edu)

Please note that this account is for doing the exercises only, and will be shut down at the end of the series. It’s also available only to those at institutions in the USA.

- This week’s Introductory exercise will teach you how to compile and run jobs on OU’s big Linux cluster supercomputer, which is named Boomer.



Supercomputing in Plain English: Shared Memory  
Tue Feb 19 2013





# Supercomputing Exercises #2

You'll be doing the exercises on your own (or you can work with others at your local institution if you like).

These aren't graded, but we're available for questions:

[hneeman@ou.edu](mailto:hneeman@ou.edu)





# Thanks for helping!

- OU IT
  - OSCER operations staff (Brandon George, Dave Akin, Brett Zimmerman, Josh Alexander, Patrick Calhoun)
  - Horst Severini, OSCER Associate Director for Remote & Heterogeneous Computing
  - Debi Gentis, OU Research IT coordinator
  - Kevin Blake, OU IT (videographer)
  - Chris Kobza, OU IT (learning technologies)
  - Mark McAvoy
- Kyle Keys, OU National Weather Center
- James Deaton, Skyler Donahue and Steven Haldeman, OneNet
- Bob Gerdes, Rutgers U
- Lisa Ison, U Kentucky
- Paul Dave, U Chicago





# This is an experiment!

It's the nature of these kinds of videoconferences that  
**FAILURES ARE GUARANTEED TO HAPPEN!**  
**NO PROMISES!**

So, please bear with us. Hopefully everything will work out well enough.

If you lose your connection, you can retry the same kind of connection, or try connecting another way.

Remember, if all else fails, you always have the toll free phone bridge to fall back on.





# Coming in 2013!

From Computational Biophysics to Systems Biology, May 19-21,  
Norman OK

Great Plains Network Annual Meeting, May 29-31, Kansas City

XSEDE2013, July 22-25, San Diego CA

IEEE Cluster 2013, Sep 23-27, Indianapolis IN

**OKLAHOMA SUPERCOMPUTING SYMPOSIUM 2013,**

**Oct 1-2, Norman OK**

SC13, Nov 17-22, Denver CO



Supercomputing in Plain English: Shared Memory  
Tue Feb 19 2013







# OK Supercomputing Symposium 2013



2003 Keynote:  
Peter Freeman  
NSF  
Computer & Information  
Science & Engineering  
Assistant Director



2004 Keynote:  
Sangtae Kim  
NSF Shared  
Cyberinfrastructure  
Division Director



2005 Keynote:  
Walt Brooks  
NASA Advanced  
Supercomputing  
Division Director



2006 Keynote:  
Dan Atkins  
Head of NSF's  
Office of  
Cyberinfrastructure



2007 Keynote:  
Jay Boisseau  
Director  
Texas Advanced  
Computing Center  
U. Texas Austin




2008 Keynote:  
José Munoz  
Deputy Office  
Director/ Senior  
Scientific Advisor  
NSF Office of  
Cyberinfrastructure



2009 Keynote:  
Douglass Post  
Chief Scientist  
US Dept of Defense  
HPC Modernization  
Program



2010 Keynote:  
Horst Simon  
Deputy Director  
Lawrence Berkeley  
National Laboratory



2011 Keynote:  
Barry Schneider  
Program Manager  
National Science  
Foundation



2012 Keynote:  
Thom Dunning  
Director  
National Center for  
Supercomputing  
Applications

**2013 Keynote  
to be announced!**

**FREE! Wed Oct 2 2013 @ OU**

<http://symposium2013.oscer.ou.edu/>

**Reception/Poster Session**

**Tue Oct 1 2013 @ OU**

**Symposium Wed Oct 2 2013 @ OU**

Supercomputing in Plain English: Shared Memory

Tue Feb 19 2013





# Outline

- Parallelism
- Shared Memory Multithreading
- OpenMP




# Parallelism



# Parallelism

Parallelism means doing multiple things at the same time: you can get more work done in the same time.

Less fish ...



More fish!



# What Is Parallelism?

**Parallelism** is the use of multiple processing units – either processors or parts of an individual processor – to solve a problem, and in particular the use of multiple processing units operating concurrently on different parts of a problem. The different parts could be different tasks, or the same task on different pieces of the problem's data.





# Common Kinds of Parallelism

- Instruction Level Parallelism
- Shared Memory Multithreading (for example, OpenMP)
- Distributed Multiprocessing (for example, MPI)
- GPU Parallelism (for example, CUDA, OpenACC)
- Hybrid Parallelism
  - Distributed + Shared (for example, MPI + OpenMP)
  - Shared + GPU (for example, OpenMP + OpenACC)
  - Distributed + GPU (for example, MPI + OpenACC)



# Why Parallelism Is Good

- **The Trees**: We like parallelism because, as the number of processing units working on a problem grows, we can solve **the same problem in less time**.
- **The Forest**: We like parallelism because, as the number of processing units working on a problem grows, we can solve **bigger problems**.



# Parallelism Jargon

- **Threads** are execution sequences that share a single memory area (“**address space**”)
- **Processes** are execution sequences with their own independent, private memory areas

... and thus:

- **Multithreading**: parallelism via multiple **threads**
- **Multiprocessing**: parallelism via multiple **processes**

Generally:

- Shared Memory Parallelism is concerned with **threads**, and
- Distributed Parallelism is concerned with **processes**.





# Jargon Alert!

In principle:

- “shared memory parallelism” ➔ “multithreading”
- “distributed parallelism” ➔ “multiprocessing”

In practice, sadly, the following terms are often used interchangeably:

- Parallelism
- Concurrency (not as popular these days)
- Multithreading
- Multiprocessing

Typically, you have to figure out what is meant based on the context.



# Amdahl's Law

In 1967, Gene Amdahl came up with an idea so crucial to our understanding of parallelism that they named a Law for him:

$$S = \frac{1}{(1 - F_p) + \frac{F_p}{S_p}}$$

where  $S$  is the overall speedup achieved by parallelizing a code,  $F_p$  is the fraction of the code that's parallelizable, and  $S_p$  is the speedup achieved in the parallel part.<sup>[1]</sup>



# Amdahl's Law: Huh?

What does Amdahl's Law tell us?

Imagine that you run your code on a zillion processors. The parallel part of the code could speed up by as much as a factor of a zillion.


For sufficiently large values of a zillion, the parallel part would take zero time!

But, the serial (non-parallel) part would take the same amount of time as on a single processor.

So running your code on infinitely many processors would still take at least as much time as it takes to run just the serial part.



# Max Speedup by Serial %





# Amdahl's Law Example (F90)

```
PROGRAM amdahl_test
  IMPLICIT NONE
  REAL,DIMENSION(a_lot) :: array
  REAL      :: scalar
  INTEGER   :: index

  READ *, scalar      !! Serial part
  DO index = 1, a_lot !! Parallel part
    array(index) = scalar * index
  END DO
END PROGRAM amdahl_test
```

If we run this program on infinitely many CPUs, then the total run time will still be at least as much as the time it takes to perform the **READ**.



# Amdahl's Law Example (C)

```
int main ()
{
    float array[a_lot];
    float scalar;
    int    index;

    scanf("%f", scalar); /* Serial part */
    /* Parallel part */
    for (index = 0; index < a_lot; index++) {
        array(index) = scalar * index
    }
}
```

If we run this program on infinitely many CPUs, then the total run time will still be at least as much as the time it takes to perform the **scanf**.



# The Point of Amdahl's Law

**Rule of Thumb**: When you write a parallel code, try to make as much of the code parallel as possible, because the **serial part will be the limiting factor** on parallel speedup.

Note that this rule will not hold when the **overhead** cost of parallelizing exceeds the parallel speedup. More on this presently.





# Speedup

The goal in parallelism is linear speedup: getting the speed of the job to increase by a factor equal to the number of processors.

Very few programs actually exhibit linear speedup, but some come close.






# Scalability

**Scalable** means “performs just as well regardless of how big the problem is.” A scalable code has near linear speedup.

ARPS Benchmark Timings  
19x19x43 3km grid/processor



Platinum = NCSA 1024 processor PIII/1GHZ Linux Cluster

Note: NCSA Origin timings are scaled from 19x19x53 domains.



Supercomputing in Plain English: Shared Memory  
Tue Feb 19 2013






# Strong vs Weak Scalability


- **Strong Scalability**: If you double the number of processors, but you **keep the problem size constant**, then the problem takes **half as long** to complete.
- **Weak Scalability**: If you double the number of processors, and **double the problem size**, then the problem takes the **same amount of time** to complete.



# Scalability

This benchmark shows **weak** scalability.



  
**Better**

Platinum = NCSA 1024 processor PIII/1GHZ Linux Cluster

Note: NCSA Origin timings are scaled from 19x19x53 domains.



# Granularity

**Granularity** is the size of the subproblem that each thread or process works on, and in particular the size that it works on between communicating or synchronizing with the others.

Some codes are **coarse grain** (a few very large parallel parts) and some are **fine grain** (many small parallel parts).

Usually, **coarse grain codes are more scalable** than fine grain codes, because less of the runtime is spent managing the parallelism, so a higher proportion of the runtime is spent getting the work done.



# Parallel Overhead

**Parallelism isn't free**. Behind the scenes, the compiler and the hardware have to do a lot of **overhead** work to make parallelism happen.

The overhead typically includes:


- **Managing** the multiple threads/processes
- **Communication** among threads/processes
- **Synchronization** (described later)

# Shared Memory Multithreading






# The Jigsaw Puzzle Analogy





# Serial Computing

Suppose you want to do a jigsaw puzzle that has, say, a thousand pieces.




We can imagine that it'll take you a certain amount of time. Let's say that you can put the puzzle together in an hour.






# Shared Memory Parallelism



If Scott sits across the table from you, then he can work on his half of the puzzle and you can work on yours. Once in a while, you'll both reach into the pile of pieces at the same time (you'll **contend** for the same resource), which will cause a little bit of slowdown. And from time to time you'll have to work together (**communicate**) at the interface between his half and yours. The speedup will be nearly 2-to-1: y'all might take 35 minutes instead of 30.




# The More the Merrier?



Now let's put Paul and Charlie on the other two sides of the table. Each of you can work on a part of the puzzle, but there'll be a lot more contention for the shared resource (the pile of puzzle pieces) and a lot more communication at the interfaces. So y'all will get noticeably less than a 4-to-1 speedup, but you'll still have an improvement, maybe something like 3-to-1: the four of you can get it done in 20 minutes instead of an hour.



# Diminishing Returns



If we now put Dave and Tom and Horst and Brandon on the corners of the table, there's going to be a whole lot of contention for the shared resource, and a lot of communication at the many interfaces. So the speedup y'all get will be much less than we'd like; you'll be lucky to get 5-to-1.

So we can see that adding more and more workers onto a shared resource is eventually going to have a diminishing return.







# Distributed Parallelism



Now let's try something a little different. Let's set up two tables, and let's put you at one of them and Scott at the other. Let's put half of the puzzle pieces on your table and the other half of the pieces on Scott's. Now y'all can work completely independently, without any contention for a shared resource. **BUT**, the cost per communication is **MUCH** higher (you have to scootch your tables together), and you need the ability to split up (decompose) the puzzle pieces reasonably evenly, which may be tricky to do for some puzzles.




# More Distributed Processors



It's a lot easier to add more processors in distributed parallelism. But, you always have to be aware of the need to decompose the problem and to communicate among the processors. Also, as you add more processors, it may be harder to *load balance* the amount of work that each processor gets.



# Load Balancing





**Load balancing** means ensuring that everyone completes their workload at roughly the same time.

For example, if the jigsaw puzzle is half grass and half sky, then you can do the grass and Scott can do the sky, and then y'all only have to communicate at the horizon – and the amount of work that each of you does on your own is roughly equal. So you'll get pretty good speedup.





# Load Balancing



Load balancing can be easy, if the problem splits up into chunks of roughly equal size, with one chunk per processor. Or load balancing can be very hard.



# Load Balancing




Load balancing can be easy, if the problem splits up into chunks of roughly equal size, with one chunk per processor. Or load balancing can be very hard.





# Load Balancing



Load balancing can be easy, if the problem splits up into chunks of roughly equal size, with one chunk per processor. Or load balancing can be very hard.

# How Shared Memory Parallelism Behaves





# The Fork/Join Model


Many shared memory parallel systems use a programming model called **Fork/Join**. Each program begins executing on just a single thread, called the **parent**.

**Fork**: When a parallel region is reached, the **parent** thread **spawns** additional **child** threads as needed.

**Join**: When the parallel region ends, the **child threads shut down**, leaving only the parent still running.



# The Fork/Join Model (cont'd)







# The Fork/Join Model (cont'd)

In principle, as a parallel section completes, the child threads shut down (join the parent), forking off again when the parent reaches another parallel section.

In practice, the child threads often continue to exist but are idle.  
Why?



# Principle vs. Practice





# Why Idle?

- On some shared memory multithreading computers, the **overhead cost** of forking and joining is **high** compared to the cost of computing, so rather than waste time on overhead, the **children sit idle** until the next parallel section.
- On some computers, joining threads releases a program's control over the child processors, so they may not be available for more parallel work later in the run. **Gang scheduling** is preferable, because then all of the processors are guaranteed to be available for the whole run.

# Standards and Nonstandards







# Standards and Nonstandards

In computing, there are standards and nonstandards.

**Standards** are established by independent organizations and made public, so that anyone can produce a standard-compliant implementation.

Example standards organizations include:

- International Organization for Standardization (ISO)
  - “‘ISO’ [is] derived from the Greek *isos*, meaning ‘equal’.” [2]
- American National Standards Institute (ANSI)
- Ecma International

**Nonstandards** are produced by a single organization or consortium, with no requirement for external input and no recognized standard.





# Standards and Nonstandards

In practice, there are:

- **standard standards**, which both are common and have been accepted as official standards – for example: C, TCP/IP, HTML;
- **nonstandard standards**, which aren't common but have been accepted as official standards – for example: Myrinet;
- **standard nonstandards**, which are common but haven't been accepted as official standard – for example: PDF, Windows;
- **nonstandard nonstandards**, which aren't common and haven't been accepted as official standards – for example: WordStar.



# OpenMP

Most of this discussion is from [3], with a little bit from [4].



# What Is OpenMP?

OpenMP is a *standard* way of expressing shared memory parallelism.

OpenMP consists of *compiler directives*, *functions* and *environment variables*.

When you compile a program that has OpenMP in it, then:

- if your compiler knows OpenMP, then you get an executable that can run in parallel;
- otherwise, the compiler ignores the OpenMP stuff and you get a purely serial executable.

OpenMP can be used in Fortran, C and C++, but only if your preferred compiler explicitly supports it.



# Compiler Directives

A *compiler directive* is a line of source code that gives the compiler special information about the statement or block of code that immediately follows.

C++ and C programmers already know about compiler directives:

```
#include "MyClass.h"
```

Many Fortran programmers already have seen at least one compiler directive:

```
INCLUDE 'mycommon.inc'
```

OR

```
INCLUDE "mycommon.inc"
```



# OpenMP Compiler Directives

OpenMP compiler directives in Fortran look like this:

**!\$OMP ...*stuff*...**

In C++ and C, OpenMP directives look like:

**#pragma omp ...*stuff*...**

Both directive forms mean “the rest of this line contains OpenMP information.”

Aside: “*pragma*” is the Greek word for “thing.” Go figure.



# Example OpenMP Directives

## Fortran

```
!$OMP PARALLEL DO
!$OMP CRITICAL
!$OMP MASTER
!$OMP BARRIER
!$OMP SINGLE
!$OMP ATOMIC
!$OMP SECTION
!$OMP FLUSH
!$OMP ORDERED
```

## C++/C

```
#pragma omp parallel for
#pragma omp critical
#pragma omp master
#pragma omp barrier
#pragma omp single
#pragma omp atomic
#pragma omp section
#pragma omp flush
#pragma omp ordered
```

Note that we won't cover all of these.



# A First OpenMP Program (F90)

```
PROGRAM hello_world
  IMPLICIT NONE
  INTEGER :: number_of_threads, this_thread, iteration
  INTEGER,EXTERNAL :: omp_get_max_threads, &
&                                omp_get_thread_num

  number_of_threads = omp_get_max_threads()
  WRITE (0,"(I2,A)") number_of_threads, " threads"
  !$OMP PARALLEL DO
    DO iteration = 0, number_of_threads - 1
      this_thread = omp_get_thread_num()
      WRITE (0,"(A,I2,A,I2,A) ") "Iteration ", &
&    iteration, ", thread ", this_thread, &
&    ": Hello, world!"
    END DO
  END PROGRAM hello_world
```





# A First OpenMP Program (C)

```
#include <stdio.h>
#include <stdlib.h>
#include <omp.h>

int main ()
{
    int number_of_threads, this_thread, iteration;

    number_of_threads = omp_get_max_threads();
    fprintf(stderr, "%2d threads\n", number_of_threads);
    # pragma omp parallel for
    for (iteration = 0;
        iteration < number_of_threads; iteration++) {
        this_thread = omp_get_thread_num();
        fprintf(stderr, "Iteration %2d, thread %2d: Hello, world!\n",
            iteration, this_thread);
    }
}
```



# Running hello\_world

```
% setenv OMP_NUM_THREADS 4
% hello_world
  4 threads
Iteration  0, thread  0: Hello, world!
Iteration  1, thread  1: Hello, world!
Iteration  3, thread  3: Hello, world!
Iteration  2, thread  2: Hello, world!
% hello_world
  4 threads
Iteration  2, thread  2: Hello, world!
Iteration  1, thread  1: Hello, world!
Iteration  0, thread  0: Hello, world!
Iteration  3, thread  3: Hello, world!
% hello_world
  4 threads
Iteration  1, thread  1: Hello, world!
Iteration  2, thread  2: Hello, world!
Iteration  0, thread  0: Hello, world!
Iteration  3, thread  3: Hello, world!
```



# OpenMP Issues Observed

From the **hello\_world** program, we learn that:

- At some point before running an OpenMP program, you must set an environment variable

**OMP\_NUM\_THREADS**

that represents the number of threads to use.

- The order in which the threads execute is **nondeterministic**.



# The **PARALLEL DO** Directive (F90)

The **PARALLEL DO** directive tells the compiler that the **DO** loop immediately after the directive should be executed in parallel; for example:

```
!$OMP PARALLEL DO  
DO index = 1, length  
    array(index) = index * index  
END DO
```

The iterations of the loop will be computed in parallel (note that they are independent of one another).



# The `parallel for` Directive (C)

The `parallel for` directive tells the compiler that the `for` loop immediately after the directive should be executed in parallel; for example:

```
# pragma omp parallel for
for (index = 0; index < length; index++) {
    array[index] = index * index;
}
```

The iterations of the loop will be computed in parallel (note that they are independent of one another).



# A Change to hello\_world

Suppose we do 3 loop iterations per thread:

DO iteration = 0, number\_of\_threads \* 3 - 1

```
% hello_world
```

```
4 threads
```

```
Iteration 9, thread 3: Hello, world!  
Iteration 0, thread 0: Hello, world!  
Iteration 10, thread 3: Hello, world!  
Iteration 11, thread 3: Hello, world!  
Iteration 1, thread 0: Hello, world!  
Iteration 2, thread 0: Hello, world!  
Iteration 3, thread 1: Hello, world!  
Iteration 6, thread 2: Hello, world!  
Iteration 7, thread 2: Hello, world!  
Iteration 8, thread 2: Hello, world!  
Iteration 4, thread 1: Hello, world!  
Iteration 5, thread 1: Hello, world!
```

Notice that the iterations are split into contiguous chunks, and each thread gets one chunk of iterations.



# Chunks

By default, OpenMP splits the iterations of a loop into chunks of equal (or roughly equal) size, assigns each chunk to a thread, and lets each thread loop through its subset of the iterations.

So, for example, if you have 4 threads and 12 iterations, then each thread gets three iterations:

- Thread 0: iterations 0, 1, 2
- Thread 1: iterations 3, 4, 5
- Thread 2: iterations 6, 7, 8
- Thread 3: iterations 9, 10, 11

Notice that each thread performs its own chunk in deterministic order, but that the overall order is nondeterministic.



# Private and Shared Data

**Private** data are data that are owned by, and only visible to, a single individual thread.

**Shared** data are data that are owned by and visible to all threads.

(Note: In distributed parallelism, all data are private, as we'll see next time.)





# Should All Data Be Shared?

In our example program, we saw this:

```
!$OMP PARALLEL DO PRIVATE(iteration, this_thread) &  
!$OMP  
    SHARED(number_of_threads)
```

or this:

```
#pragma parallel for private(iteration, this_thread) \  
    shared(number_of_threads)
```

What do **PRIVATE** and **SHARED** mean?

We said that OpenMP uses shared memory parallelism. So **PRIVATE** and **SHARED** refer to memory.

Would it make sense for all data within a parallel loop to be shared?



# A Private Variable (F90)

Consider this loop:

```
!$OMP PARALLEL DO ...  
  DO iteration = 0, number_of_threads - 1  
    this_thread = omp_get_thread_num()  
    WRITE (0,"(A,I2,A,I2,A) ") "Iteration ", iteration, &  
&      ", thread ", this_thread, ": Hello, world!"  
  END DO
```

Notice that, if the iterations of the loop are executed concurrently, then the loop index variable named **iteration** will be wrong for all but one of the threads. Each thread should get its own copy of the variable named **iteration**.



# A Private Variable (C)

Consider this loop:

```
#pragma omp parallel for ...  
    for (iteration = 0;  
        iteration < number_of_threads; iteration++) {  
        this_thread = omp_get_thread_num();  
        printf("Iteration %d, thread %d: Hello, world!\n",  
            iteration, this_thread);  
    }
```

Notice that, if the iterations of the loop are executed concurrently, then the loop index variable named **iteration** will be wrong for all but one of the threads. Each thread should get its own copy of the variable named **iteration**.



# Another Private Variable (F90)

```
!$OMP PARALLEL DO ...  
  DO iteration = 0, number_of_threads - 1  
    this_thread = omp_get_thread_num()  
    WRITE (0,"(A,I2,A,I2,A)") "Iteration ", iteration, &  
&      ", thread ", this_thread, ": Hello, world!"  
  END DO
```

Notice that, if the iterations of the loop are executed concurrently, then **this\_thread** will be wrong for all but one of the threads.

Each thread should get its own copy of the variable named **this\_thread**.



# Another Private Variable (C)

```
#pragma omp parallel for ...  
    for (iteration = 0;  
        iteration < number_of_threads; iteration++) {  
        this_thread = omp_get_thread_num();  
        printf("Iteration %d, thread %d: Hello, world!\n",  
            iteration, this_thread);  
    }
```

Notice that, if the iterations of the loop are executed concurrently, then **this\_thread** will be wrong for all but one of the threads.

Each thread should get its own copy of the variable named **this\_thread**.



# A Shared Variable (F90)

```
!$OMP PARALLEL DO ...  
  DO iteration = 0, number_of_threads - 1  
    this_thread = omp_get_thread_num()  
    WRITE (0,"(A,I2,A,I2,A)") "Iteration ", iteration, &  
&      ", thread ", this_thread, ": Hello, world!"  
  END DO
```

Notice that, regardless of whether the iterations of the loop are executed serially or in parallel, **number\_of\_threads** will be correct for all of the threads.

All threads should share a single instance of **number\_of\_threads**.



# A Shared Variable (C)

```
#pragma omp parallel for ...  
    for (iteration = 0;  
        iteration < number_of_threads; iteration++) {  
        this_thread = omp_get_thread_num();  
        printf("Iteration %d, thread %d: Hello, world!\n",  
              iteration, thread);  
    }
```

Notice that, regardless of whether the iterations of the loop are executed serially or in parallel, **number\_of\_threads** will be correct for all of the threads.

All threads should share a single instance of **number\_of\_threads**.



# SHARED & PRIVATE Clauses

The **PARALLEL DO** directive allows extra clauses to be appended that tell the compiler which variables are shared and which are private:

```
!$OMP PARALLEL DO PRIVATE(iteration,this_thread) &  
!$OMP          SHARED (number_of_threads)
```

or:

```
#pragma parallel for private(iteration, this_thread) \  
                        shared(number_of_threads)
```

This tells that compiler that **iteration** and **this\_thread** are private but that **number\_of\_threads** is shared.

(Note the syntax for continuing a directive in Fortran90 and C.)





# DEFAULT Clause

If your loop has lots of variables, it may be cumbersome to put all of them into **SHARED** and **PRIVATE** clauses.

So, OpenMP allows you to declare one kind of data to be the default, and then you only need to explicitly declare variables of the other kind:

```
!$OMP PARALLEL DO DEFAULT(PRIVATE) &  
!$OMP SHARED(number_of_threads)
```

The default **DEFAULT** (so to speak) is **SHARED**, except for the loop index variable, which by default is **PRIVATE**.



# Different Workloads (F90)

What happens if the threads have different amounts of work to do?

```
!$OMP PARALLEL DO
```

```
DO index = 1, length
```

```
  x(index) = index / 3.0
```

```
  IF (x(index) < 0) THEN
```

```
    y(index) = LOG(x(index))
```

```
  ELSE
```

```
    y(index) = 1.0 - x(index)
```

```
  END IF
```

```
END DO
```

The threads that finish early have to wait.



# Different Workloads (C)

What happens if the threads have different amounts of work to do?

```
# pragma parallel for
for (index = 0; index < length; index++) {
    x[index] = index / 3.0;
    if (x[index] < 0) {
        y[index] = log(x[index]);
    }
    else {
        y[index] = 1.0 - x[index];
    }
}
```

The threads that finish early have to wait.



# Chunks

By default, OpenMP splits the iterations of a loop into chunks of equal (or roughly equal) size, assigns each chunk to a thread, and lets each thread loop through its subset of the iterations.

So, for example, if you have 4 threads and 12 iterations, then each thread gets three iterations:

- Thread 0: iterations 0, 1, 2
- Thread 1: iterations 3, 4, 5
- Thread 2: iterations 6, 7, 8
- Thread 3: iterations 9, 10, 11

Notice that each thread performs its own chunk in deterministic order, but that the overall order is nondeterministic.



# Scheduling Strategies


OpenMP supports three scheduling strategies:

- **Static**: The default, as described in the previous slides – good for iterations that are inherently load balanced.
- **Dynamic**: Each thread gets a chunk of a few iterations, and when it finishes that chunk it goes back for more, and so on until all of the iterations are done – good when iterations aren't load balanced at all.
- **Guided**: Each thread gets smaller and smaller chunks over time – a compromise.



# Static Scheduling

For  $N_i$  iterations and  $N_t$  threads, each thread gets one chunk of  $N_i/N_t$  loop iterations:




- Thread #0: iterations 0 through  $N_i/N_t - 1$
- Thread #1: iterations  $N_i/N_t$  through  $2N_i/N_t - 1$
- Thread #2: iterations  $2N_i/N_t$  through  $3N_i/N_t - 1$
- ...
- Thread # $N_t - 1$ : iterations  $(N_t - 1)N_i/N_t$  through  $N_i - 1$



# Dynamic Scheduling

For  $N_i$  iterations and  $N_t$  threads, each thread gets a fixed-size chunk of  $k$  loop iterations:




When a particular thread finishes its chunk of iterations, it gets assigned a new chunk. So, the relationship between iterations and threads is nondeterministic.

- Advantage: very flexible
- Disadvantage: high overhead – lots of decision making about which thread gets each chunk



# Guided Scheduling

For  $N_i$  iterations and  $N_t$  threads, initially each thread gets a fixed-size chunk of  $k < N_i/N_t$  loop iterations:



After each thread finishes its chunk of  $k$  iterations, it gets a chunk of  $k/2$  iterations, then  $k/4$ , etc. Chunks are assigned dynamically, as threads finish their previous chunks.

- Advantage over static: can handle imbalanced load
- Advantage over dynamic: fewer decisions, so less overhead





# How to Know Which Schedule?

Test all three using a typical case as a *benchmark*.

Whichever wins is probably the one you want to use most of the time on that particular platform.

This may vary depending on problem size, new versions of the compiler, who's on the machine, what day of the week it is, etc, so you may want to benchmark the three schedules from time to time.



# SCHEDULE Clause

The **PARALLEL DO** directive allows a **SCHEDULE** clause to be appended that tell the compiler which variables are shared and which are private:

```
!$OMP PARALLEL DO ... SCHEDULE(STATIC)
```

This tells that compiler that the schedule will be static.

Likewise, the schedule could be **GUIDED** or **DYNAMIC**.

However, the very best schedule to put in the **SCHEDULE** clause is **RUNTIME**.

You can then set the environment variable **OMP\_SCHEDULE** to **STATIC** or **GUIDED** or **DYNAMIC** at runtime – great for benchmarking!



# Synchronization

**Jargon**: Waiting for other threads to finish a parallel loop (or other parallel section) before going on to the work after the parallel section is called **synchronization**.

Synchronization is **BAD**, because when a thread is waiting for the others to finish, it isn't getting any work done, so it isn't contributing to speedup.

So why would anyone ever synchronize?



# Why Synchronize? (F90)

Synchronizing is necessary when the code that follows a parallel section needs all threads to have their final answers.

```
!$OMP PARALLEL DO
```

```
DO index = 1, length  
  x(index) = index / 1024.0  
  IF ((index / 1000) < 1) THEN  
    y(index) = LOG(x(index))  
  ELSE  
    y(index) = x(index) + 2  
  END IF  
END DO
```

```
! Need to synchronize here!
```

```
DO index = 1, length  
  z(index) = y(index) + y(length - index + 1)  
END DO
```



# Why Synchronize? (C)

Synchronizing is necessary when the code that follows a parallel section needs all threads to have their final answers.

```
#pragma omp parallel for
for (index = 0; index < length; index++) {
    x[index] = index / 1024.0;
    if ((index / 1000) < 1) {
        y[index] = log(x[index]);
    }
    else {
        y[index] = x[index] + 2;
    }
}
/* Need to synchronize here! */
for (index = 0; index < length; index++) {
    z[index] = y[index] + y[length - index + 1];
}
```



# Barriers

A **barrier** is a place where synchronization is forced to occur; that is, where faster threads have to wait for slower ones.

The **PARALLEL DO** directive automatically puts an invisible, implied barrier at the end of its **DO** loop:

```
!$OMP PARALLEL DO
  DO index = 1, length
    ... parallel stuff ...
  END DO
! Implied barrier
... serial stuff ...
```

OpenMP also has an explicit **BARRIER** directive, but most people don't need it.



# Critical Sections

A *critical section* is a piece of code that any thread can execute, but that only one thread can execute at a time.

```
!$OMP PARALLEL DO
```

```
DO index = 1, length
```

```
... parallel stuff ...
```

```
!$OMP CRITICAL(summing)
```

```
sum = sum + x(index) * y(index)
```

```
!$OMP END CRITICAL(summing)
```

```
... more parallel stuff ...
```

```
END DO
```

What's the point?



# Why Have Critical Sections?

If only one thread at a time can execute a critical section, that slows the code down, because the other threads may be waiting to enter the critical section.

But, for certain statements, if you don't ensure *mutual exclusion*, then you can get nondeterministic results.





# If No Critical Section

```
!$OMP CRITICAL(summing)
    sum = sum + x(index) * y(index)
!$OMP END CRITICAL(summing)
```

Suppose for thread #0, **index** is 27, and for thread #1, **index** is 92.

If the two threads execute the above statement at the same time, **sum** could be

- the value after adding **x(27) \* y(27)**, or
- the value after adding **x(92) \* y(92)**, or
- garbage!

This is called a **race condition**: the result depends on who wins the race.



# Pen Game #1: Take the Pen

We need two volunteers for this game.

1. I'll hold a pen in my hand.
2. You win by taking the pen from my hand.
3. One, two, three, go!

Can we predict the outcome? Therefore, can we guarantee that we get the correct outcome?



## Pen Game #2: Look at the Pen

We need two volunteers for this game.

1. I'll hold a pen in my hand.
2. You win by looking at the pen.
3. One, two, three, go!

Can we predict the outcome? Therefore, can we guarantee that we get the correct outcome?



# Race Conditions

A *race condition* is a situation in which multiple processes can change the value of a variable at the same time.

As in Pen Game #1 (Take the Pen), a race condition can lead to unpredictable results.

So, race conditions are **BAD**.



# Reductions

A reduction converts an array to a scalar: sum, product, minimum value, maximum value, location of minimum value, location of maximum value, Boolean AND, Boolean OR, number of occurrences, etc.

Reductions are so common, and so important, that OpenMP has a specific construct to handle them: the **REDUCTION** clause in a **PARALLEL DO** directive.



# Reduction Clause

```
total_mass = 0
!$OMP PARALLEL DO REDUCTION(+:total_mass)
  DO index = 1, length
    total_mass = total_mass + mass(index)
  END DO !! index
```

**This is equivalent to:**

```
DO thread = 0, number_of_threads - 1
  thread_mass(thread) = 0
END DO !! thread
$OMP PARALLEL DO
  DO index = 1, length
    thread = omp_get_thread_num()
    thread_mass(thread) = thread_mass(thread) + mass(index)
  END DO !! index
total_mass = 0
DO thread = 0, number_of_threads - 1
  total_mass = total_mass + thread_mass(thread)
END DO !! thread
```




# Parallelizing a Serial Code #1

```
PROGRAM big_science
... declarations ...

DO ...
... parallelizable work ...
END DO
... serial work ...

DO ...
... more parallelizable work ...
END DO
... serial work ...
... etc ...
END PROGRAM big_science
```



```
PROGRAM big_science
... declarations ...
!$OMP PARALLEL DO ...
DO ...
... parallelizable work ...
END DO
... serial work ...
!$OMP PARALLEL DO ...
DO ...
... more parallelizable work ...
END DO
... serial work ...
... etc ...
END PROGRAM big_science
```


This way may have lots of synchronization overhead.



# Parallelizing a Serial Code #2

```
PROGRAM big_science
... declarations ...

DO task = 1, numtasks
  CALL science_task(...)
END DO
END PROGRAM big_science
```



```
SUBROUTINE science_task (...)
... parallelizable work ...

... serial work ...

... more parallelizable work ...

... serial work ...

... etc ...
END PROGRAM big_science
```

```
PROGRAM big_science
... declarations ...
!$OMP PARALLEL DO ...
  DO task = 1, numtasks
    CALL science_task(...)
  END DO
END PROGRAM big_science

SUBROUTINE science_task (...)
... parallelizable work ...
!$OMP MASTER
... serial work ...
!$OMP END MASTER
... more parallelizable work ...
!$OMP MASTER
... serial work ...
!$OMP END MASTER
... etc ...
END PROGRAM big_science
```





# OK Supercomputing Symposium 2013



2003 Keynote:  
Peter Freeman  
NSF  
Computer & Information  
Science & Engineering  
Assistant Director



2004 Keynote:  
Sangtae Kim  
NSF Shared  
Cyberinfrastructure  
Division Director



2005 Keynote:  
Walt Brooks  
NASA Advanced  
Supercomputing  
Division Director



2006 Keynote:  
Dan Atkins  
Head of NSF's  
Office of  
Cyberinfrastructure



2007 Keynote:  
Jay Boisseau  
Director  
Texas Advanced  
Computing Center  
U. Texas Austin




2008 Keynote:  
José Munoz  
Deputy Office  
Director/ Senior  
Scientific Advisor  
NSF Office of  
Cyberinfrastructure



2009 Keynote:  
Douglass Post  
Chief Scientist  
US Dept of Defense  
HPC Modernization  
Program



2010 Keynote:  
Horst Simon  
Deputy Director  
Lawrence Berkeley  
National Laboratory



2011 Keynote:  
Barry Schneider  
Program Manager  
National Science  
Foundation



2012 Keynote:  
Thom Dunning  
Director  
National Center for  
Supercomputing  
Applications

**2013 Keynote  
to be announced!**

**FREE! Wed Oct 2 2013 @ OU**

<http://symposium2013.oscer.ou.edu/>

**Reception/Poster Session**

**Tue Oct 1 2013 @ OU**

**Symposium Wed Oct 2 2013 @ OU**

Supercomputing in Plain English: Shared Memory

Tue Feb 19 2013



**Thanks for your  
attention!**



**Questions?**

**[www.oscer.ou.edu](http://www.oscer.ou.edu)**



# References

[1] Amdahl, G.M. “Validity of the single-processor approach to achieving large scale computing capabilities.” In *AFIPS Conference Proceedings* vol. 30 (Atlantic City, N.J., Apr. 18-20). AFIPS Press, Reston VA, 1967, pp. 483-485. Cited in

<http://www.scl.ameslab.gov/Publications/AmdahlsLaw/Amdahls.html>

[2] [http://www.iso.org/iso/about/discover-iso\\_isos-name.htm](http://www.iso.org/iso/about/discover-iso_isos-name.htm)

[3] R. Chandra, L. Dagum, D. Kohr, D. Maydan, J. McDonald and R. Menon, *Parallel Programming in OpenMP*. Morgan Kaufmann, 2001.

[4] Kevin Dowd and Charles Severance, *High Performance Computing*, 2<sup>nd</sup> ed. O’Reilly, 1998.

