

Networking for research

Wallace A. Chase


Technical Engagement Manager

wallace.chase@reannz.co.nz



@bmtfr





ETHER





"A CABLE-TREE ETHER



DYNAROCH







ALTO

XEP



















- What is an R&E network?
  - Returning by popular demand velociraptors!
- Why isn't a network just a network?
- Specialization
- Build yourself a picture





XEROX



# Will this make me A Network Engineer?








Maybe even understand them...




### But why do I need to know this?






### So what makes this so complex anyway?








# Commodity/commercial Networks



But they go about it in different ways...

They both eat the leaves...





### Commodity/commercial Networks



















### Commercial Networks

Works great for traffic such as





unnecessary life-vest


















## So why do commercial networks work well for this?




tastefullyoffensive


Further proof that cats are liquid. (via jabbathechav)









### Commercial Networks



### Now to the technical reasons...



#### ARPANET LOGICAL MAP, MARCH 1977



(PLEASE NOTE THAT WHILE THIS MAP SHOWS THE HOST POPULATION OF THE NETWORK ACCORDING TO THE BEST INFORMATION OBTAINABLE, NO CLAIM CAN BE MADE FOR ITS ACCURACY)

NAMES SHOWN ARE IMP NAMES, NOT (NECESSARILY) HOST NAMES

By ARPANET - The Computer History Museum ([1]), en:File:Arpnet-map-march-1977.png, Public Domain, https://commons.wikimedia.org/w/index.php?curid=9990864


The goal was to exploit new computer technologies to meet the needs of military command and control against nuclear threats, achieve survivable control of US nuclear forces, and improve military tactical and management decision making.


Stephen J. Lukasik




Lukasik, Stephen J. (2011). "Why the Arpanet Was Built". IEEE Annals of the History of Computing. 33 (3): 4-20. doi:10.1109/MAHC.2010.11









•ISBN-10: 9780887309892

•ISBN-10: 0201876744

### Commodity/commercial networks

#### The good

- Great for "normal" traffic
- Resilient by design
- Can move lots of "small" things moving around
- Great if what you are doing is accessing and on a CDN (Content Delivery Network)
- Available almost everywhere

#### The not so good


- Not at all optimized for large flows
- Can be very expensive at scale
- Often sub optimal routing and peering for point to point research traffic
- Throttling, queuing, traffic shaping destroy throughput (and "they" don't care)
- Commodity networks assume, and are designed for, "lots of small stuff"
- High speeds are not always available, or cost effective (10G, 40G, 100G)
- If you have issues, good luck getting help

Lets take a smaller network and use as an example of this issue...

### The academic network




# What makes up an academic network?



access


# What makes up an academic network?






# What makes up an academic network?








# What makes up an academic network?









# What makes up an academic network?



















### Intrusion Prevention











**Computational Research** 



Velociraptor









Velociraptor








Irrefutable proof the analogy is valid...

























...that is highly important to myself, the educational community, and all of mankind as a whole. It is imperative that this data be *reasonably secured*; yet, *available* to my research peers. The *datasets are rather large*, and they may need to be shared across institutions.





Would it be possible to place this in a *secure*, *reliable*, *flexible*, *accessible*, as well as *high performing* infrastructure?































### When Data Intensive Science Meets Traditional Networks





### When Data Intensive Science Meets Traditional Networks



OBSERVATION: The requirements of the data intensive researcher and the service profile of the traditional campus computer network (or commercial networks) do not always align!








On second thought,
how much money yah
gots and how may friends
do you have I can eat,
um, I mean meet?




#### This can result in adverse consequences:

- Performance issues for the researcher
- Performance issues for everyone else
- Frustration for the researcher








But how do we overcome this? I can't stop my research just because the network can't keep up! Being able to collaborate is the future of science!

## Specialty networks to the rescue!

- Both internally to your organization and externally
- Science DMZ is an example of a specialty network




## Parts of the puzzle...


- Science DMZ
- DTN (Data Transfer Node)
- Storage
- Research and Education networks
  - NREN (National Research and Education Network)
  - RON (Regional Optical Network)
  - R&E Network (Research and Education Network)



## Data Transfer Nodes (DTN)


• Simply put, a DTN is a server that is specially designed to move data from disk to a network at speed.






### **REANNZ**

#### 100G network with 360+ member connections






Relationships make the packets flow...



## Relationship can be complex...



# Local networks



























































CallaghanInnovation



# State/regional networks

aka "your ISP"





Capital Area Advanced Research and Education Network | Powered by GW























# Exchanges and PoPs



REAMVIZ











# National Networks (US)

























ciena





#### \* Department of Energy Office of Science National Labs

Ames Arnes Laboratory (Ames, IA)
ANL Argonne National Laboratory (Argonne, IL)
BNL Brookhaven National Laboratory (Upton, NY)
FNAL Fermi National Accelerator Laboratory (Batavia, IL)


JLAB Thomas Jefferson National Accelerator Facility (Newport News, VA)

CRNL
ORNL
Oak Ridge National Laboratory (Berkeley, CA)
Oak Ridge National Laboratory (Oak Ridge, TN)
PNNL
PNNL
PPPL
Princeton Plasma Physics Laboratory (Princeton, NJ)

SLAC SLAC National Accelerator Laboratory (Menlo Park, CA)







# International Networks


















































#### **OneNet Points of Presence**































INDIANA UNIVERSITY

NETWORK

PARTNERS

ciena

INTERNET



Level(3)























































































## So... what does all this mean for me?


- The requirements of the data intensive researcher and the service profile of the traditional campus computer network (or commercial networks) do not always align!
- Networks interconnect to make more networks
- Networks get exponentially complex the more connections you have
- NRENs are at the core of an international community supporting data intensive science!

Research networks are there to facilitate YOUR transfers. If its not working ask for help!

If your data has to transit it - its "your" network!

# Our goal.






## Wallace A. Chase

**Technical Engagement Manager** 

wallace.chase@reannz.co.nz

@bmtfr



ETHER



A very special thanks to Matt Younkins at OU, as the raptors are on loan from him!





